



Waterfed Poles & Brushes

www.streamline.systems

Waterfed Poles & Brushes

The range now consists of glass fibre and full carbon fibre telescopic poles giving different expense, rigidity and strength accordingly.

OVA8®

Pages 4 - 13

The **STREAMLINE® OVA8®** carbon fibre telescopic poles are designed in an 'oval' profile section, reducing the wear of the sections from the pole clamps.

ECOLITE™

Pages 14 - 15

Improved light-weight glass fibre telescopic pole

ECOLINE™

Pages 16 - 17

The **ECOLINE™** glass fibre range offer best value for money, whilst providing a professional pole for the domestic and contract window cleaner alike.

ULTRALITE™

Pages 18 - 19

Improved light-weight glass fibre telescopic pole clamp

STREAMLINE® OVA8® Brushes	13
STREAMLINE® Carbon Fibre Goosenecks	20
STREAMLINE® Waterfed Brushes	21
STREAMLINE® Hi-Lo Brushes	22 - 23
STREAMLINE® Boars Hair Brushes	24 - 25
Vikan Waterfed Brushes	26 - 27
STREAMLINE® Pole Accessories	28 - 29
STREAMLINE® Clamps	30 - 31



STREAMLINE®

OVA8®

Eliminating the spin,
once and for all

The **STREAMLINE® OVA8®** carbon fibre telescopic poles are designed with 'oval' profile sections, allowing for zero pole spin and reducing the wear of the sections from the pole clamps. Available in a number of different sizes, with numerous adapters and pole extensions, making the **STREAMLINE® OVA8®** one of the best waterfed poles on the market to date!



Quick Release System

Superior Clamps

Zero Spin

Why use the **STREAMLINE® OVA8®** pole?

- Its innovative design ensures that the dreaded pole spin associated with worn waterfed pole sections is a thing of the past.
- Superb pole section clamps ensure the pole sections stay where you want them.
- 100% carbon ensuring it's as light as possible and as strong as possible.
- Its 2 flat sides make the pole easier to hold for long periods of time.
- Available in multiple sizes to suit customers' needs.
- AVAILABLE NOW - a range of accessories to ensure that the **STREAMLINE® OVA8®** is as versatile as possible.

STREAMLINE®
OVA8®
With 
Univalves

Holding any item in the hand for long periods can be painful. The OVA8 design combines two flat sides. These sit more comfortably in an operator's hand and allow the tips of their fingers to sit on the flat edge.

The two flat sides of the OVA8 telescopic pole add more stability and therefore more control for the operator, a huge "safety" plus. Any experienced operative will tell you how dangerous and annoying a spinning pole section is.

The benefits of a univalve are that, when you are at a distance from the van, the Univalve prevents you from going back to the van to turn the water off. Therefore, the univalve saves you, the user time and effort which then becomes more time efficient.

Size Guide



OV60-46-E **HI-MOD**
Up to 63ft

6 Storeys

OV60-40-E
Up to 63ft

OV45-30-E
Up to 48ft

5 Storeys

OV40-30-E
Up to 43ft

OV35-30-E
Up to 38ft

4 Storeys

OV30-24-E
Up to 33ft

3 Storeys

OV25-24-E
Up to 28ft

OV22-40-E **HI-MOD**
Up to 20ft

2 Storeys

OV22-24-E
Up to 20ft

OV17-24-E
Up to 20ft

Warning: These poles are manufactured from 100% carbon fibre material which is a conductor of electricity. Not to be used near electrical lines'

Did You Know?

All STREAMLINE® OVA8® poles come complete with our adjustable nylon gooseneck, tubing, a STREAMLINE® brush and a hose coupling of your choice!

Poles are available in 10 popular sizes

Part No	No. Of Sections	Min. Length (mm/ft)	Max Length (mm/ft)	Achievable Height	Length Of Tubing	Weight
OV17-24-E	5	1,500mm/5ft	5,100mm/17ft	20ft/6.1m	8 metre	0.99kg
OV22-24-E	6	1,500mm/5ft	6,700mm/22ft	25ft/7.6m	9 metre	1.35kg
OV22-40-E HI-MOD	6	1,500mm/5ft	6,700mm/22ft	25ft/7.6m	9 metre	1.35kg
OV25-24-E	5	1,830mm/6ft	7,700mm/25ft	28ft/8.5m	10 metre	1.35kg
OV30-24-E	6	1,865mm/6ft	9,150mm/30ft	33ft/10.6m	12 metre	1.70kg
OV35-30-E	7	1,900mm/6ft	10,700mm/35ft	38ft/11.6m	12 metre	2.00kg
OV40-30-E	8	2,110mm/7ft	12,400mm/40ft	43ft/13.1m	15 metre	2.50kg
OV45-30-E	9	2,150mm/7ft	13,720mm/45ft	48ft/14.6m	15 metre	2.80kg
OV60-40-E	10	2,270mm/7ft	18,288mm/60ft	63ft/19.2m	20 metre	3.80kg
OV60-40-E HI-MOD	10	2,270mm/7ft	18,288mm/60ft	63ft/19.2m	20 metre	3.80kg

OVA8® + Univalves

New for 2022

Part No	No. Of Sections	Min. Length (mm/ft)	Max Length (mm/ft)	Achievable Height	Length Of Tubing	Weight Pole Only
OV17-24-U	5	1,500mm/5ft	5,100mm/17ft	20ft/6.1m	8 metre	0.99kg
OV22-24-U	6	1,500mm/5ft	6,700mm/22ft	25ft/7.6m	9 metre	1.35kg
OV22-40-U	6	1,500mm/5ft	6,700mm/22ft	25ft/7.6m	9 metre	1.35kg
OV25-24-E	5	1,830mm/6ft	7,700mm/25ft	28ft/8.5m	10 metre	1.35kg
OV30-24-U	6	1,865mm/6ft	9,150mm/30ft	33ft/10.6m	12 metre	1.70kg
OV35-30-U	7	1,900mm/6ft	10,700mm/35ft	38ft/11.6m	12 metre	2.00kg



Scan Here
to shop online
for the latest prices

Contact us on
+44 (0)1626 830 830

STREAMLINE® OVA8® EXTENSIONS

With a range of **STREAMLINE® OVA8®** pole extensions, the **STREAMLINE® OVA8®** waterfed pole becomes even more versatile. Available in a number of bespoke pole sections, you can extend the reach of this great waterfed pole with ease.

Extension sections for OV17-24-E

PART NO	DESCRIPTION	ACHIEVABLE HEIGHT WITH EXTENSION
OV06-07-1675	STREAMLINE® OVA8® Carbon Sections 6-7 to increase 17 foot to 30 foot	30ft / 9.1m
OV06-08-1675	STREAMLINE® OVA8® Carbon Sections 6-8 to increase 17 foot to 35 foot	35ft / 10.6m
OV06-09-1675	STREAMLINE® OVA8 Carbon Sections 6-9 to increase 17 foot to 40 foot	40ft / 12.2m
OV06-10-1675	STREAMLINE® OVA8® Carbon Sections 6-10 to increase 17 foot to 45 foot	45ft / 13.7m

Extension sections for OV22-24-E

PART NO	DESCRIPTION	ACHIEVABLE HEIGHT WITH EXTENSION
OV07-08-1675	STREAMLINE® OVA8® Carbon Sections 7-8 to increase 22 foot to 35 foot	35ft / 10.6m
OV07-09-1675	STREAMLINE® OVA8® Carbon Sections 7-9 to increase 22 foot to 40 foot	40ft / 12.2m
OV07-10-1675	STREAMLINE® OVA8® Carbon Sections 7-10 to increase 22 foot to 45 foot	45ft / 13.7m

Extension sections for OV25-24-E

PART NO	DESCRIPTION	ACHIEVABLE HEIGHT WITH EXTENSION
OV06-07-1675	STREAMLINE® OVA8® Carbon Sections 6-7 to increase 25 foot to 35 foot	35ft / 10.6m
OV06-08-1675	STREAMLINE® OVA8® Carbon Sections 6-8 to increase 25 foot to 40 foot	40ft / 12.2m
OV06-09-1675	STREAMLINE® OVA8® Carbon Sections 6-9 to increase 25 foot to 45 foot	45ft / 13.7m
OV06-10-1675	STREAMLINE® OVA8® Carbon Sections 6-10 to increase 25 foot to 50 foot	50ft / 15.2m

Extension sections for OV30-24-E

PART NO	DESCRIPTION	ACHIEVABLE HEIGHT WITH EXTENSION
OV07-08-1675	STREAMLINE® OVA8® Carbon Sections 7-8 to increase 30 foot to 40 foot	40ft / 12.2m
OV07-09-1675	STREAMLINE® OVA8® Carbon Sections 7-9 to increase 30 foot to 45 foot	45ft / 13.7m
OV07-10-1675	STREAMLINE® OVA8® Carbon Sections 7-10 to increase 30 foot to 50 foot	50ft / 15.2m

Extension sections for OV35-30-E

PART NO	DESCRIPTION	ACHIEVABLE HEIGHT WITH EXTENSION
OV08-09-1675	STREAMLINE® OVA8® Carbon Sections 8-9 to increase 35 foot to 45 foot	45ft / 13.7m
OV08-10-1675	STREAMLINE® OVA8® Carbon Sections 8-10 to increase 35 foot to 50 foot	50ft / 15.2m

Extension sections for OV40-30-E

PART NO	DESCRIPTION	ACHIEVABLE HEIGHT WITH EXTENSION
OV09-10-1675	STREAMLINE® OVA8® Carbon Sections 9-10 to increase 40 foot to 50 foot	50ft / 15.2m



Scan Here
to shop online
for the latest prices

Visit our website
www.streamline.systems



OVA8® Accessories

A growing range of STREAMLINE® OVA8® accessories making this water fed pole one of the most versatile poles on the market.

**New for
2022**



OVA8® Roof Scraper

A lightweight and compact roof scraper attachment for the OVA8® pole. The design incorporates a quick-change head with a load and lock feature. This feature allows the user to swap out the blades when changing to a new roof tile type or if the blades have worn down. Made from stainless-steel, the roof scraper and blades are rust resistant and extremely durable. Consisting of a variety of different blades to suit the most common roof tiles, the kit allows you to scrape moss and debris off a roof with ease.

PART NO.	ITEM
OV-SCR003	STREAMLINE® OVA8® Roof Scraper with additional 3 blades



OVA8® 150mm Nylon Brush Extension

PART NO.	ITEM
OV-FT150	OVA8® 150mm Nylon Brush Extension



OVA8® 200mm Carbon Brush Extension

PART NO.	ITEM
OV-FT200	OVA8® 200mm Carbon Brush Extension



OVA8® 300mm Carbon Brush Extension

PART NO.	ITEM
OV-FT300	OVA8® 300mm Carbon Brush Extension



OVA8® Brush Swivel Socket - 90 Degree

PART NO.	ITEM
OV-BS0003	OVA8® Brush Swivel Socket - 90 Degree



OVA8® Brush Socket - 90 Degree

PART NO.	ITEM
OV-BS0002	OVA8® Brush Socket 90 Degree



OVA8® Bronze Wool Pad

PART NO.	ITEM
OV-PAD001	STREAMLINE® OVA8® Bronze Wool Pad Adapter complete with 1 x STREAMLINE® Bronze Wool Pad
V549132	Bronze Wool Pad Only



OVA8® Dual Angle Adapter

PART NO.	ITEM
OV-AD20-10	OVA8® Dual Angle Adapter



OVA8® Angle Adapter

PART NO.	ITEM
OV-AD20-15	OVA8® 3" Angle Adapter
OV-AD20-16	OVA8® 6" Angle Adapter



OVA8® Angle Adapter with GT Thread

PART NO.	ITEM
OV-AD20-03	OVA8® 3" Angle Adapter
OV-AD20-06	OVA8® 6" Angle Adapter
OV-AD20-09	OVA8® 9" Angle Adapter
OV-AD20-12	OVA8® 12" Angle Adapter



OVA8® Clamp

PART NO.	ITEM
OV-CLMP01	OVA8® Clamp 1
OV-CLMP02	OVA8® Clamp 2
OV-CLMP03	OVA8® Clamp 3
OV-CLMP04	OVA8® Clamp 4
OV-CLMP05	OVA8® Clamp 5
OV-CLMP06	OVA8® Clamp 6
OV-CLMP07	OVA8® Clamp 7
OV-CLMP08	OVA8® Clamp 8
OV-CLMP09	OVA8® Clamp 9
OV-CLMP010	OVA8® Clamp 10



OVA8® Clamp Lever

PART NO.	ITEM
OV-CL0001	OVA8® Clamp Lever



10" (260mm) STREAMLINE® Brush Medium Dual Bristle, with OVA8® Socket

Weight	Width
289g	260mm

PART NO.	ITEM
V-SBF26-MD06-001	Brush only
V-SBF26-MD06-010	Pack of 10



14" (360mm) STREAMLINE® Brush Medium Dual Bristle, with OVA8® Socket

Weight	Width
351g	360mm

PART NO.	ITEM
V-SBF36-MD06-001	Brush only
V-SBF36-MD06-010	Pack of 10



10" (260mm) STREAMLINE® Brush - Dual Bristle Boars' Hair and OVA8® Socket

Weight	Width
392g	260mm

PART NO.	ITEM
V-SBF26-BD06-001	Brush only
V-SBF26-BD06-010	Pack of 10



14" (360mm) STREAMLINE® Brush - Dual Bristle with Boars' Hair and OVA8® Socket

Weight	Width
392g	260mm

PART NO.	ITEM
V-SBF36-BD06-001	Brush only
V-SBF36-BD06-010	Pack of 10



Pencil



Fan

STREAMLINE® | Nozzle Jets

PART NO.	ITEM
FJ2-02	Fan Jet Kit
FJ2-04	Fan Jet Kit pack of 4
NJ3-02	Pencil Jet Kit
NJ3-04	Pencil Jet Kit pack of 4

STREAMLINE[®] ECOLITE[™]



Improved light-weight glass fibre pole with the renowned LITE-5[®] red durable pole hose, bonded collar & unique 6" angled adapter



ECOLITE[™]

The unique **STREAMLINE[®]** angled adapter, supplied as standard, provides 6" depth if required between the pole and brush for deep sills and window reveals (9" and 12" adaptors also available as optional extras).

LITE-5[®] red pole tubing offers the best in durable three layers construction, yet remaining flexible and manageable even in colder ambient temperatures. Strap supplied for tidy storage of the pole tubing.

All these poles include the innovative Locking System, simple one hand clamping operation for both left and right handed persons. Clamp design provides strong, positive locking force. Clamp guard prevents against accidental release.



Size Guide



GXTEL9400R
Up to 34ft

4 Storeys

GXTEL6700R
Up to 25ft

3 Storeys

GXTEL5200R
Up to 20ft

2 Storeys

GXTEL3800R
Up to 15ft

Poles are available in 4 popular sizes

Part No.	No. Of Sections	Min. Length	Max. Length	Achievable Height	Approx Weight Pole Only
GXTEL3800R	3	1400mm	3800mm/12ft	15ft	1.0 kg
GXTEL5200R	3	1885mm	5200mm/17ft	20ft	1.3 kg
GXTEL6700R	4	1885mm	6700mm/22ft	25ft	1.7 kg
GXTEL9400R	6	1885mm	9400mm/30ft	34ft	2.9 kg



See Page 123 for brush options

STREAMLINE ECOLINE™

ECOLINE™ poles are offered with economy in mind. Long established in the industry as an ergonomic, simple to use window cleaning tool.

Visit our website for the latest prices
www.streamline.systems



Dual left hand & right hand lever

Strong locking force

Glass Fibre Material



ECOLINE™

The **ECOLINE™** range offer best value for money, whilst providing a professional pole for the domestic and contract window cleaner alike.

Benifits

- Poles are constructed of high quality glass fibre material and finished with an acrylic resin for economy
- Poles have a standard plastic base cap fitted
- Poles have a nylon collar bonded onto the top section to connect to the brush.
- Poles are supplied with a standard angle crank, and an extension is available as an option to provide extra reach
- Poles are supplied with our own design **LITE-5®** yellow, highly visible, ultra flexible pole tubing, providing suppleness and flex even in colder conditions
- Available in Glass Fibre composites from 4 ft - 30 ft maximum height

Glass Fibre Telescopic Poles Poles

Size Guide



GXTEL30E
Up to 34ft

4 Storeys

GXTEL27E
Up to 30ft

GXTEL24E
Up to 27ft

GXTEL20E
Up to 23ft

3 Storeys

GXTEL17E
Up to 20ft

GXTEL13E
Up to 17ft

2 Storeys

GXTEL09E
Up to 13ft

GXTEL04E
Up to 8ft

1 Storeys

Poles are available in 4 popular sizes

Part No.	No. Of Sections	Min. Length	Max. Length	Achievable Height	Approx Weight Pole Only	LITE-5 Tubing
GXTEL04E	2	740mm	1300mm/4ft	8ft/3m	0.42 kg	4 meter
GXTEL09E	2	1500mm	2800mm/9ft	13ft/4m	0.69 kg	5 meter
GXTEL13E	3	1500mm	4000mm/13ft	17ft/5.2m	1.07 kg	8 meter
GXTEL17E	4	1500mm	5200mm/17ft	20ft/6.1m	1.48 kg	8 meter
GXTEL20E	4	1800mm	6000mm/20ft	23ft/7m	1.77 kg	10 meter
GXTEL24E	5	1800mm	7200mm/24ft	27ft/8.2m	2.30 kg	10 meter
GXTEL27E	6	1800mm	8400mm/27ft	30ft/9.1m	2.85 kg	11 meter
GXTEL30E	7	1800mm	9400mm/30ft	34ft/10.4m	3.41 kg	11 meter

STREAMLINE ULTRALITE™

The ULTRALITE™ modular pole system probably the lightest poles ever with each section weighing only 200 grams.

Modular design allows you to add or remove sections to suit the required working height. The lightness of the pole enables prolonged working time without fatigue, especially when large areas of glass are to be cleaned.

Size Guide



UL-POLE-22500 Up to 76ft	7 Storeys
UL-POLE-19300 Up to 66ft	6 Storeys
UL-POLE-16700 Up to 66ft	5 Storeys
UL-POLE-15000 Up to 51ft	5 Storeys
UL-POLE-13370 Up to 45ft	4 Storeys
UL-POLE-11720 Up to 40ft	4 Storeys
UL-POLE-10090 Up to 35ft	3 Storeys
UL-POLE-08440 Up to 30ft	3 Storeys
UL-POLE-06750 Up to 24ft	2 Storeys
UL-POLE-05150 Up to 19ft	2 Storeys
UL-POLE-03500 Up to 14ft	1 Storeys
UL-POLE-01900 Up to 10ft	1 Storeys



Carbon Fibre Poles

This pole is not for the heavy handed, but if you are looking for a lightweight modular pole with exceptional capabilities, look no further. Each section is tapered to allow a push fit assembly for extending. This also allows them to be stored in side each other for protection when not in use. Each pole includes our unique 12" lightweight gooseneck with 12" double trim brush (10" and 14" double trim brush available as an option).

Available In 12 Sizes

Part No.	No. Of Sections	Min. Length	Max. Length	Achievable Height	Approx Weight Pole Only	LITE-5 Tubing
UL-POLE-01900	1	1700mm	1900mm/6ft	10ft/3.5m	0.20kg	5 meter
UL-POLE-03500	2	1700mm	3300mm/10ft	14ft/4.3m	0.40kg	5 meter
UL-POLE-05150	3	1700mm	4900mm/16ft	19ft/5.8m	0.70kg	8 meter
UL-POLE-06750	4	1700mm	6500mm/21ft	24ft/7.3m	1.00kg	10 meter
UL-POLE-08440	5	1700mm	8100mm/27ft	30ft/9.1m	1.30kg	11 meter
UL-POLE-10090	6	1700mm	9700mm/32ft	35ft/10.7m	1.60kg	11 meter
UL-POLE-11720	7	1700mm	11300mm/37ft	40ft/12.2m	2.00kg	14 meter
UL-POLE-13370	8	1700mm	12900mm/42ft	45ft/13.7m	2.40kg	20 meter
UL-POLE-15000	9	1700mm	14500mm/48ft	51ft/15.5m	2.80kg	20 meter
UL-POLE-16700	10	1700mm	16100mm/53ft	56ft/17.1m	3.20kg	30 meter
UL-POLE-19300	12	1700mm	19200mm/63ft	66ft/20.1m	3.84kg	30 meter
UL-POLE-22500	14	1700mm	22250mm/73ft	76ft/23.2m	4.48kg	30 meter

Each pole includes:



Rubber Base Cap and Tuff Ring on each section to protect the pole ends. Plastic storage tube to keep them safe when not in use.



LITE-5 yellow tubing which clips neatly into the base cap of each section allowing the tubing to be kept tidy on the outside of the pole.

Don't forget,
for the latest prices shop online at
www.streamline.systems



Contact us on
+44 (0)1626 830 830



Carbon Fibre Gooseneck with
10" STREAMLINE® Flat Brush,
Medium Double Trim Bristle

Weight	Width
398g	260mm

Part No.
GN9-20-D26



Carbon Fibre Gooseneck with
14" STREAMLINE® Flat Brush,
Medium Double Trim Bristle

Weight	Width
544g	360mm

Part No.
GN9-20-D36



STREAMLINE® | Nozzle Jets

Part No.	Item
FJ2-02	Fan Jet Kit
FJ2-04	Fan Jet Kit pack of 4
NJ3-02	Pencil Jet Kit
NJ3-04	Pencil Jet Kit pack of 4
NJK-04	STREAMLINE® Nozzle Jet Kit 4 jets total 2x fan 2x pencil

Don't forget,
for the latest prices shop online at
www.streamline.systems



Contact us on
+44 (0)1626 830 830

STREAMLINE® Brushes



STREAMLINE®
10" (250mm)
Hi-Lo Brush



STREAMLINE®
14" (360mm)
Hi-Lo Brush



STREAMLINE®
(260mm)
10"+14"
Dual
Bristle
Brush

Hi-Lo Brushes

The STREAMLINE® brush has been designed to include:

- A light weight design
- Versatile jet styles and positioning
- Bristles that retain their shape and provide longevity

This has been achieved thanks to lighter stocks, monofilament soft bristles with low moisture retention and high memory reflex...meaning they will return to their original shape and provide the longevity required.

With the quick-lock jets in pencil and fan spray options; and various jet positionings offered on the brushes, these are a versatile and innovative addition to the range.

Temperature rating in excess of 50°C, these brushes will perform in hot water applications too.



10"
250mm

10" (250mm) STREAMLINE® Hi-Lo Brush Black Soft Bristle

Weight	Width
381g	250mm

Part No.	Item
V-SBH25-S	Brush only
V-SBH25-S-005	Pack of 5



14"
360mm

14" (360mm) STREAMLINE® Hi-Lo Brush Black Soft Bristle

Weight	Width
462g	360mm

Part No.	Item
V-SBH36-S	Brush only
V-SBH36-S-005	Pack of 5



STREAMLINE® | Nozzle Jets

Part No.	Item
FJ2-02	Fan Jet Kit
FJ2-04	Fan Jet Kit pack of 4
NJ3-02	Pencil Jet Kit
NJ3-04	Pencil Jet Kit pack of 4
NJK-04	STREAMLINE® Nozzle Jet Kit 4 jets total 2x fan 2x pencil



Scan Here
to shop online
for the latest prices

Contact us on
+44 (0)1626 830 830



10"
250mm

10" (250mm) STREAMLINE® Hi-Lo Angle Medium Bristle Brush

Weight	Width
382g	250mm

Part No.	Item
V-SBH25-M-001	Brush only
V-SBH25-M-005	Pack of 5



14"
360mm

14" (360mm) STREAMLINE® Hi-Lo Angle Medium Bristle Brush

Weight	Width
463g	360mm

Part No.	Item
V-SBH36-M-001	Brush only
V-SBH36-M-005	Pack of 5



10"
250mm

10" (250mm) STREAMLINE® Hi-Lo Brush Red Stiff Bristle

Weight	Width
345g	250mm

Part No.	Item
V-SBH25-H-001	Brush only
V-SBH25-H-005	Pack of 5



14"
360mm

14" (360mm) STREAMLINE® Hi-Lo Solar Panel Brush - Yellow Soft Bristle

Weight	Width
480g	360mm

Part No.	Item
V-SBH36-Y-001	Brush only
V-SBH36-Y-005	Pack of 5



**10" (260mm)
STREAMLINE® Flat Medium Double
Trim Bristle Brush, with 45° Socket**

Weight	Width
246g	260mm

Part No.	Item
V-SBF26-MD01-001	Brush only
V-SBF26-MD01-010	Pack of 10



**10" (260mm)
STREAMLINE® Brush - Dual Bristle
with Boars' Hair and OVA8® socket**

Weight	Width
392g	260mm

Part No.	Item
V-SBF26-BD06-001	Brush only
V-SBF26-BD06-010	Pack of 10



**14" (360mm)
STREAMLINE® Flat Medium Double
Trim Bristle Brush, with 45° Socket**

Weight	Width
360g	360mm

Part No.	Item
V-SBF36-MD01-001	Brush only
V-SBF36-MD01-010	Pack of 10



**14" (360mm)
STREAMLINE® Brush - Dual Bristle
with Boars' Hair and OVA8® Socket**

Weight	Width
439g	360mm

Part No.	Item
V-SBF36-BD06-001	Brush only
V-SBF36-BD06-010	Pack of 10



**10" (260mm)
STREAMLINE® Brush - Medium
Dual Bristle, with OVA8® Socket**

Weight	Width
289g	260mm

Part No.	Item
V-SBF26-MD06-001	Brush only
V-SBF26-MD06-010	Pack of 10



**10" (260mm)
STREAMLINE® Brush - Dual Bristle
with Boars' Hair and 45° Socket**

Weight	Width
392g	260mm

Part No.	Item
V-SBF26-BD01-001	Brush only
V-SBF26-BD01-010	Pack of 10



**14" (360mm)
STREAMLINE® Brush - Medium
Dual Bristle, with OVA8® Socket**

Weight	Width
351g	360mm

Part No.	Item
V-SBF36-MD06-001	Brush only
V-SBF36-MD06-010	Pack of 10



**14" (360mm)
STREAMLINE® Brush - Dual Bristle
with Boars' Hair and 45° Socket**

Weight	Width
439g	360mm

Part No.	Item
V-SBF36-BD01-001	Brush only
V-SBF36-BD01-010	Pack of 10

Vikan Waterfed Brushes

If it doesn't say Vikan, it's not Vikan...

All brush blocks are made of polypropylene and the PBT filaments are fixed with stainless steel staples. The diameter of the holes in the brush blocks are accurately reduced to the filament bundle size. All brush sockets are integral and have a machined thread to secure the brush to the angle adapter.



Traditional Non-scratch Pencil Jets

PART NO	ITEM
NJ2	2.0mm Orifice fitted standard
BHR05	3.0mm Orifice optional



Reduce your rinse time with Fanjets

PART NO	ITEM
FJ1-04	40° Fanjets fitted standard
FJ1-06	60° Fanjets optional



9.5" (245mm) - Medium Hi-Lo Vikan Monofilament Brush

WEIGHT	WIDTH
512g	245mm


PART NO	ITEM
J524753-NJ2	Complete with pencil jets
J524753-FJ1-04	Complete with fan jets



10.5" (275mm) - Vikan Monofilament Brush

WEIGHT	WIDTH
420g	275mm

PART NO	ITEM
J526453-NJ2	Complete with pencil jets
J526453-FJ1-04	Complete with fan jets



9.5" (245mm) - Hi-Lo Vikan Monofilament Brush (Stiff)

WEIGHT	WIDTH
512g	245mm

PART NO	ITEM
J470474-NJ2	Complete with pencil jets
J470474-FJ1-04	Complete with fan jets



Aluminium Pencil Jets 2mm Orifice

Part No
AHR05



8mm Push Fit Stem - 6mm Hosetail Insert

Part No.	Item
PM250806E	8mm Push Fit Stem - 6mm Hosetail Insert



STREAMLINE Nozzle Jet Kit

Part No.	Item
FJ2-04	STREAMLINE Nozzle Fan Jet Kit - Pack of 4
NJ3-04	STREAMLINE Nozzle Pencil Jet Kit - Pack of 4
NJK-04	STREAMLINE Nozzle Jet Kit - 4 jets total 2x Fan 2x Pencil



Fan Jet 04 Orifice with 6mm hosetail

Part No
FJ40-04H




STREAMLINE Nozzle Jets

Part No.	Item
FJ2-02	Fan Jet Kit
FJ2-04	Fan Jet Kit pack of 4
NJ3-02	Pencil Jet Kit
NJ3-04	Pencil Jet Kit pack of 4
NJK-04	STREAMLINE Nozzle Jet Kit 4 jets total 2x fan 2x pencil


Trigger valves provide:

- Precision flow control with positive shut-off action
- Water Saving: don't waste that precious fluid that has cost you money to produce



MBK3 Inline Microbore Fittings Kit

Part No	ITEM
MBK3	Kit only
MBK3-LH2	Kit with LH2 Holster



MBK4 Valve Kit

PART NO	ITEM
BBV14MF	Ball Valve
Q21MF-14	Male Adapter
BHT1414	Brass Hosetail



GT1 & GT2 Pole-end Inserts

Threaded Inserts

PART NO	ITEM
GT1	Universal 19.5mm OD
GT2	XTEL Pole 18mm OD

Also fits
OVA8



Univalve

PART NO	ITEM
AT0002	



Standard Angle Adapter

Part No	ITEM
AD1	3" Adapter
AD1-US	STREAMLINE® Angle Adapter - Euro female thread / ACME male thread
AD2-6F	6" Double Angle Adapter Complete
AD3-6F	6" Aluminium Angle Adapter - German Thread
AD4-GT	Angle Adapter - ACME female thread / Euro male thread
AD4	Angle Adapter - ACME female thread / ACME male thread



Extended Angle Adapters

Part No	ITEM
AD1-6F	6" Adapter
AD1-9F	9" Adapter
AD1-12F	12" Adapter



Penloc 1:1 Adhesive

2 Part Adhesive handy for pole repairs

Part No	ITEM
PEN12	12ml Acrylic Adhesive
PEN12R	12ml Acrylic Adhesive
PEN50	50ml (requires applicator)

NYHT5 / NYHT6



BYHT6

Brush 'Y' Pieces

Part No	ITEM
NYHT5	5mm Nylon
NYHT6	6mm Nylon
BYHT6	6mm Brass

PF080808



PF0806QUAD

8mm Push Fit Equal Tee

Part No.	Item
PF080808	8mm Push Fit Equal Tee
PF0806QUAD	8mm Push Fit Reducing t o 6mm Push Fit Quad Adapter



X-BUTT Base Caps

Part No	ITEM
X-BUTT-26	Plastic Base Cap for section 2 - 26mm
X-BUTT-30	Plastic Base Cap for section 3 - 30mm
X-BUTT-34	Plastic Base Cap for section 4 - 34mm
X-BUTT-38	Plastic Base Cap for section 5 - 38mm
X-BUTT-42	Plastic Base Cap for section 6 - 42mm
X-BUTT-46	Plastic Base Cap for section 7 - 46mm
X-BUTT-50	Plastic Base Cap for section 8 - 50mm
X-BUTT-54	Plastic Base Cap for section 9 - 54mm

OVA8



BUTT Clamp for OVA8®

PART NO	ITEM
XR-BUTT-30	Section 4 - 30mm
XR-BUTT-34	Section 5 - 34mm
XR-BUTT-37	Section 6 - 37mm
XR-BUTT-41	Section 7 - 41mm
XR-BUTT-44	Section 8 - 44mm
XR-BUTT-48	Section 9 - 48mm

OVA8



OVA8® Clamps

PART NO	ITEM
OV-CLMP01	OVA8® Clamp 1
OV-CLMP02	OVA8® Clamp 2
OV-CLMP03	OVA8® Clamp 3
OV-CLMP04	OVA8® Clamp 4
OV-CLMP05	OVA8® Clamp 5
OV-CLMP06	OVA8® Clamp 6
OV-CLMP07	OVA8® Clamp 7
OV-CLMP08	OVA8® Clamp 8
OV-CLMP09	OVA8® Clamp 9
OV-CLMP10	OVA8® Clamp 10

OVA8



OVA8® Clamp

PART NO	ITEM
OV-CL0001	OVA8® Clamp Level includes Lever Bolt, Cap and Nut

OVA8



OVA8® Clamp Shim

PART NO	ITEM
OV-SHIM	OVA8® Clamp Shim



XTEL Clamps

PART NO	ITEM
X-CLMP-1	XTEL Clamp for section 1 - 18mm
X-CLMP-2	XTEL Clamp for section 2 - 22mm
X-CLMP-3	XTEL Clamp for section 3 - 26mm
X-CLMP-4	XTEL Clamp for section 4 - 30mm
X-CLMP-5	XTEL Clamp for section 5 - 34mm
X-CLMP-6	XTEL Clamp for section 6 - 38mm
X-CLMP-7	XTEL Clamp for section 7 - 42mm
X-CLMP-8	XTEL Clamp for section 8 - 46mm
X-CLMP-9	XTEL Clamp for section 9 - 50mm



XTEL Clamp Levers

PART NO	ITEM
X-CLMP-S	For section 2/3
X-CLMP-M	For section 4/5
X-CLMP-L	For section 6/7/8/9



X-BAND Clamps for XTEL

PART NO	ITEM
X-BAND-2	XTEL Clamp Band for section 2 - 22mm
X-BAND-3	XTEL Clamp Band for section 3 - 26mm
X-BAND-4	XTEL Clamp Band for section 4 - 30mm
X-BAND-5	XTEL Clamp Band for section 5 - 34mm
X-BAND-6	XTEL Clamp Band for section 6 - 38mm
X-BAND-7	XTEL Clamp Band for section 7 - 42mm
X-BAND-8	XTEL Clamp Band for section 8 - 46mm
X-BAND-9	XTEL Clamp Band for section 9 - 50mm



Stainless Bolt & Nut for XTEL Clamp

PART NO	ITEM
CLMP-XBN1	Stainless Bolt & Nut - XTEL Clamp
CLMP-XBN2	Stainless Bolt & Nut - XTEL Clamp
CLMP-XBN3	Stainless Bolt & Nut - XTEL Clamp



Waterfed Poles & Brushes

If you are looking for an item
not featured in this product overview
then give us a call - we may be
able to source it for you.

**Hamilton House, 8 Fairfax Road,
Heathfield Industrial Estate,
Newton Abbot, Devon TQ12 6UD, UK**

**T: +44 (0)1626 830 830
E: sales@streamline.systems
W: www.streamline.systems**