

HP-HRM150A-SS HP-HRM300A-SS

High Pressure Hose Reels

This heavy-duty stainless steel hose reel is ruggedly built to withstand the heaviest of use in many industrial applications. The versatile A-frame design allows the reel to be mounted on the floor, wall or truck/trailer bed and more. The stainless steel swivel adds extra durability. You can even double-stack these with the optional purpose-built hose reel stacking kit HP-KIT0002 (see below). Hose reels help to keep the work environment safe and free of trip hazards.

*Also suitable for low pressure applications



HP-HRM150A-SS

Features

Direct Hand-crank Rewind With Locking Mechanism

The direct hand-crank rewind makes it easy to retract the hose evenly and smoothly. Unevenly retracted hose can lead to kinks or damage the in the hose.

Friction Brake

The benefit of a friction brake on a hose reel is to prevent the hose from continuing to spin when you stop pulling it. This can be particularly useful in situations where you need to keep the hose in a fixed position or prevent it from unwinding further. The friction brake applies resistance to the reel, creating friction that slows down and eventually stops the rotation of the hose. This feature helps to maintain control over the hose and prevents it from unwinding unintentionally, providing convenience and safety during hose operation.

Stainless Steel Construction

The stainless steel construction ensures that the hose reel can withstand the rigors of everyday use, while also being resistant to chemicals such as bleach. This is important because pressure washer hoses can be very heavy and bulky.

Full Flow Stainless Swivel

The full flow swivel is designed to allow unrestricted movement and rotation while maintaining the maximum flow capacity.



HP-GP2103246


Technical Specifications

Specifications						
Model	3/8" HP Hose Capacity	6mm / 8mm Low Pressure Hose Capacity	12mm Low Pressure Hose Capacity	Swivel Pressure Rating	Inlet	Outlet
HP-HRM150A-SS	50mtr	100mtr	50mtr	5000Psi 350Bar	1/2" NPT-F	1/2" NPT-F
HP-HRM300A-SS	100mtr	100mtr	100mtr	5000Psi 350Bar	1/2" NPT-F	1/2" NPT-F
Maximum Temperature Rating: 145°C / 300°F						
Maximum Rated Flow: 40Lpm / 10.5gpm						



Take your hose reels to the next level

See the page 3 for various accessories from hose guides to stacking kits.



Hose Reel Dimensions

Hose Reel Variant	Dimensions (mm)						
	A	B	C	D	E	F	G
HP-HRM150A-SS	450mm	387mm	473.6mm	315mm	264mm	196mm	558mm
HP-HRM300A-SS	450mm	387mm	473.6mm	445mm	394mm	326mm	688mm



HP-HRM150A-SS

HP-HRM300A-SS


Featured Accessories

Automatic Reel

Power Rewind Kit with Drive Rings, for HP A-frame Hose Reels – 12v

The motor does all the work for you, so you can rewind your hose reels quickly and easily.

HP-GP2103410



Hose Guide

Hose Reel Guide Accessory for HP-HRM150A-SS & HP-HRM300A-SS


- Protects hose being pulled out at any angle
- 4-way enclosed pinch-proof
- Corrosion resistant Stainless Steel hardware

HP-HRM150A-SS

HP-GP2100462

HP-HRM300A-SS

HP-GP2100463



Stacking Kit

High Pressure Hose Reel Stacking Kit

Minimise your footprint using this innovative and sturdy metal hose reel stacking frame.

HP-KIT0002



Hose Reel Trolley

For HP-HRM150A-SS & HP-HRM300A-SS

Its heavy-duty construction and foam-filled 'never-flat' tyres means this trolley is able to withstand the most demanding working conditions and industrial pressure washing applications.

HP-GP2100465



Metal Variants Available

This heavy-duty hose reel is ruggedly built to withstand the heaviest of use in many industrial applications. The versatile A-frame design allows the reel to be mounted on the floor, wall or truck/trailer bed and more.



- Lower Cost
- Long life span
- Easy to keep clean and in good condition

150mtr Metal Reel

HP-HRM150A

300mtr Metal Reel

HP-HRM300A